

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	88	(706/62).CCLS.	USPAT; USOCR	OR	OFF	2007/04/15 19:13
S2	176	(700/103).CCLS.	USPAT; USOCR	OR	OFF	2007/04/15 19:21
S3	0	(700/093).CCLS.	USPAT; USOCR	OR	OFF	2007/04/15 19:22
S4	540	(700/108).CCLS.	USPAT; USOCR	OR	OFF	2007/04/15 19:26

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3422	(transform or transformation or transforming or modifying or modification or rewrite or re-write or production) rule	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 16:43
S2	301	(unstructured or un-structured or non-structured or semi-structured) near3 content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 16:44
S3	2977	(structured or ordered) near3 content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 16:44
S4	9685142	content or message or idea or string or signal or email or text or reports or presentations or voice mail or phone notes or agendas or memo or proposal or photographs or jpeg or mpeg	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 16:47
S5	569	actual outcome	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 16:48
S6	13937	measure near4 accuracy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 16:49
S7	860	improve\$5 near4 (measure near4 accuracy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 16:50

EAST Search History

S8	2	index near5 source tokens	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 16:51
S9	909	semantic near3 (link or association or connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 16:54
S13	6612	(predictive or prognostic\$5 or augural) (model or modeling or modelling or method or system or analysis or analytics)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 16:58
S14	91	collaborative filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 16:58
S23	798	(tokenization or stemming or case folding or aliasing or spelling correction or phrase generation or feature generalization or translation) rule	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 17:03
S24	2779	S1 and (S2 or S4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 17:15
S25	54	S24 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 17:19

EAST Search History

S26	1	S25 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 17:15
S27	71185	token	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 17:20
S29	131	source token	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 17:21
S30	405	S1 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 17:21
S31	13	S1 and S29	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 17:24
S32	29	S1 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 17:26
S33	1	S1 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/08/11 17:24
S34	1	("5113342").PN.	USPAT; USOCR	OR	OFF	2006/08/11 18:35

EAST Search History

S35	0	S1 near5 S7	USPAT	ADJ	ON	2006/08/11 18:36
S36	0	S1 with S7	USPAT	ADJ	ON	2006/08/11 18:36
S37	0	S1 same S7	USPAT	ADJ	ON	2006/08/11 18:37
S38	0	S1 and S7	USPAT	ADJ	ON	2006/08/11 18:37
S39	7	S1 and S6	USPAT	ADJ	ON	2006/08/11 19:59

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	802	(provid\$3 or stor\$3) near3 customer account	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:26
S2	653	customer account near3 database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:26
S3	1276	S1 or S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:27
S4	5909	customer account and (structured content or record)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:39
S5	1546	customer account and (financial or personal) information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:39
S6	1	customer account and unstructured text content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:28
S7	37	customer account and unstructured text	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:29

EAST Search History

S8	1	customer account and unstructured content	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:29
S9	3526	customer account and text	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:29
S10	6	customer account and questionnaire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:30
S11	160	customer account and questionnaire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:30
S12	165	S10 or S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:31
S13	876	customer account and ((interaction or interview or questioning) near5 customer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:33
S14	2	predicted outcome near3 predictive model	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:33

EAST Search History

S15	10	predicted outcome with predictive model	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:34
S16	77	predicted outcome with model	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:34
S17	0	(predictive model with predict\$3 outcome) with (event\$ near5 customer account)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:35
S18	25	(predictive model with predict\$3 outcome)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:36
S19	71	event\$ near5 customer account	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:36
S20	0	model near5 predict\$ event\$ near5 customer account	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:37
S21	0	model near5 predict\$ event\$ near5 customer (data or record or file or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:38

EAST Search History

S22	291	credit near5 predict\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:38
S23	922	customer account with (structured content or record)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:39
S24	120	customer account with (financial or personal) information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:40
S25	0	customer account with unstructured information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/04/13 16:40

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	59089	prediction or predictive	USPAT	ADJ	ON	2006/08/14 19:32
S2	1902912	text	USPAT	ADJ	ON	2006/08/14 19:32
S3	8994	S1 and S2	USPAT	ADJ	ON	2006/08/14 19:32
S4	462261	database	USPAT	ADJ	ON	2006/08/14 19:32
S5	3974	S3 and S4	USPAT	ADJ	ON	2006/08/14 19:32
S6	128	rewrite rule	USPAT	ADJ	ON	2006/08/14 19:41
S7	5	S5 and S6	USPAT	ADJ	ON	2006/08/14 19:33
S8	524	production rule	USPAT	ADJ	ON	2006/08/14 19:41
S9	638	S6 or S8	USPAT	ADJ	ON	2006/08/14 19:42
S10	19	S5 and S8	USPAT	ADJ	ON	2006/08/15 13:39
S11	17625	predict\$3 near3 (outcome or result or product or action or event or location)	USPAT	ADJ	ON	2006/08/15 13:49
S12	462690	database	USPAT	ADJ	ON	2006/08/15 13:40
S13	4215	S11 and S12	USPAT	ADJ	ON	2006/08/15 13:40
S14	128	rewrite rule	USPAT	ADJ	ON	2006/08/15 13:40
S15	1	S13 and S14	USPAT	ADJ	ON	2006/08/15 13:41
S16	525	production rule	USPAT	ADJ	ON	2006/08/15 13:41
S17	639	S14 or S16	USPAT	ADJ	ON	2006/08/15 13:41
S18	20	S13 and S17	USPAT	ADJ	ON	2006/08/15 13:46
S19	4536	database record	USPAT	ADJ	ON	2006/08/15 13:46
S20	0	S19 near3 S11	USPAT	ADJ	ON	2006/08/15 13:46
S21	0	S19 near5 S11	USPAT	ADJ	ON	2006/08/15 13:47
S22	0	S11 near3 S19	USPAT	ADJ	ON	2006/08/15 13:47
S23	4	S11 with S19	USPAT	ADJ	ON	2006/08/15 13:47
S24	2459	predicted (outcome or result or product or action or event or location)	USPAT	ADJ	ON	2006/08/15 13:50
S25	6	S17 and S24	USPAT	ADJ	ON	2006/08/15 13:52
S26	47	S19 and S24	USPAT	ADJ	ON	2006/08/15 13:54
S27	0	S19 near3 S24	USPAT	ADJ	ON	2006/08/15 13:55
S28	0	S19 near5 S24	USPAT	ADJ	ON	2006/08/15 13:55
S29	0	S19 with S24	USPAT	ADJ	ON	2006/08/15 13:55
S30	0	S19 same S24	USPAT	ADJ	ON	2006/08/15 14:20
S31	0	database of (content or text) (transformation or rewrite) rules	USPAT	ADJ	ON	2006/08/15 14:20

EAST Search History

S32	0	database near5 ((content or text) (transformation or rewrite) rules)	USPAT	ADJ	ON	2006/08/15 15:54
S33	0	record near5 ((content or text) (transformation or rewrite) rules)	USPAT	ADJ	ON	2006/08/15 14:21
S34	326	generat\$3 executable (code or instructions or commands)	USPAT	ADJ	ON	2006/08/15 15:55
S35	830	stor\$3 executable (code or instructions or commands)	USPAT	ADJ	ON	2006/08/15 15:55
S36	15	S34 and S35	USPAT	ADJ	ON	2006/08/15 18:54
S37	77	source token	USPAT	ADJ	ON	2006/08/15 18:55
S38	27828	token	USPAT	ADJ	ON	2006/08/15 18:55
S39	128	rewrite rule	USPAT	ADJ	ON	2006/08/15 18:56
S40	525	production rule	USPAT	ADJ	ON	2006/08/15 18:56
S41	1035	S39 or S40 or (transformation or transform) rule	USPAT	ADJ	ON	2006/08/15 18:56
S42	7	S37 and S41	USPAT	ADJ	ON	2006/08/15 18:59
S43	154	S38 and S41	USPAT	ADJ	ON	2006/08/15 19:02
S44	0	accuracy near5 ((correct and incorrect) near5 predicted outcome)	USPAT	ADJ	ON	2006/08/15 19:03
S45	0	accuracy same ((correct and incorrect) near5 predicted outcome)	USPAT	ADJ	ON	2006/08/15 19:04
S46	0	(correct and incorrect) near5 predicted outcome	USPAT	ADJ	ON	2006/08/15 19:04